



HP Color LaserJet Enterprise CP4025 Printer series

Ideal for small, managed workgroups of up to 15 users in enterprise and SMBs, that need a network-ready laser printer for quick, high-quality colour output up to A4 size.



HP Color LaserJet Enterprise CP4025n
Printer



HP Color LaserJet Enterprise CP4025dn
Printer

Powerful performance.

- Improve workgroup efficiency with print speeds up to 35 ppm A4 and a first page out in as fast as 9.5 seconds with Instant-on Technology¹.
- Handle a steady stream of print jobs and still stay productive.
- With 512 MB of memory, expandable up to 1 GB (1024 MB), this printer can store and process a large queue of documents.
- Easily integrate best-in-class networking and robust security options into your printing set-up.
- Expand the number of IP addresses on your network with IPv6.

Brilliant, professional-quality colour communications.

- Achieve consistent, accurate colour with HP ImageREt 3600 and up to 1200 x 1200 dpi for smooth colour transitions, crisp text and sharp images.
- Save IT time and make printing easy for every user with the improved HP Universal Print Driver and HP EasyColor².
- Use Original HP supplies for outstanding, reliable results.
- Manage your colour printing costs using award-winning HP colour access controls³, which enable you to assign colour access by user or by application, or turn off colour capability completely.

Easy and efficient operation.

- Produce documents efficiently with automatic two-sided printing⁴ and a paper capacity of 600 sheets, expandable to 1,100 sheets⁵.
- A 4-line colour display panel makes operation easy and straightforward.
- Simplify printing for multiple users and print jobs with HP Advanced Auto Media Sensing, which automatically adjusts settings according to paper type.
- With twenty-five years of continuous innovation and reliable, professional-quality printing, HP LaserJet remains the brand businesses count on.

¹ Instant-on Technology enables print jobs to begin quickly from low-power mode and provides up to 50 percent energy savings over competitive laser products.

² HP EasyColor is available on HP Universal Print Drivers, available for free download at: www.hp.com/go/upd

³ Colour access control capabilities vary from device to device. Buyer's Lab gave HP colour control features an "Outstanding Achievement" award in December 2007.

⁴ Available on the dn model only.

⁵ The n and dn models come with standard 600-sheet paper capacity expandable to 1,100 sheets with optional 1x 500 paper tray.

Product walkaround

HP Color LaserJet Enterprise CP4025dn Printer shown

1. Control panel with four-line color display
2. 500-sheet output bin
3. Front door allows convenient access to four, all-in-one HP print cartridges
4. Built-in automatic two-sided printing (CP4025dn only)
5. 500-sheet tray 2
6. 100-sheet multipurpose tray handles heavy custom media up to 220 g/m²
7. Hi-Speed USB 2.0 port
8. HP Jetdirect Gigabit Ethernet embedded print server
9. 512 MB total memory and an 800 MHz processor quickly handle complex print jobs
10. One open EIO slot
11. Security lock slot



Series at a glance



HP Color LaserJet Enterprise CP4025n Printer

- Print speed of up to 35 ppm black and colour
- ImageREt 3600
- 1200 x 1200 dpi effective output quality
- HP Jetdirect 10/100/1000 Base-TX Ethernet embedded print server (standard)
- 512 MB standard memory expandable to 1024 MB
- 800 MHz processor
- Standard input capacity of 600-sheets with one 500-sheet input tray and one 100-sheet multi-purpose tray



HP Color LaserJet Enterprise CP4025dn Printer

- HP Color LaserJet CP4025dn: as HP Color LaserJet CP4025n model with automatic two-sided printing

Recommended accessories



CC422A HP Color LaserJet 500-sheet Paper Feeder and Cabinet

Spend less time loading paper and more time printing. Meet the printing needs of multiple users or a high-volume printing environments with the 500-sheet paper feeder and cabinet for the HP Color LaserJet CP4020 and CP4520 Printers and CM4540 MFP.



CC425A HP Color LaserJet 500-sheet Paper Tray

Enhance productivity with a simple-to-install paper tray that allows you to print more pages without reloading paper and keep two different types of paper loaded.



CC497A HP LaserJet Postcard Media Insert Tray

HP Postcard Media Insert Tray (for tray 3) is the trouble-free solution for customers who regularly print on 10 x 15 cm postcard media.



CE467A HP 512 MB DDR2 200-pin x32 DIMM

HP printer memory improves the printing performance of complex documents and complex files like colour presentations, two-sided output, graphic-intensive PDF files and web pages.



J8019A HP High-Performance Secure EIO Hard Disk

Securing your business means protecting information. With the HP High-Performance Secure EIO Hard Disk with a Kensington-style lock, you can easily help secure valuable data at rest on your HP printer or MFP and still achieve optimal performance.



J7934G HP Jetdirect 620n Fast Ethernet Print Server

With advanced security and industry-leading performance, the HP Jetdirect 620n Fast Ethernet Internal Print Server enables businesses to share HP printers with EIO slots, easily and affordably across the network and the Internet.

Ordering information



HP Color LaserJet Enterprise CP4025n Printer (CC489A)

Printer; power cable; 100-sheet multipurpose tray; 500-sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; HP LaserJet Black Print Cartridge (~8500 pages); HP Color LaserJet Cyan, Yellow, and Magenta Print Cartridges with HP ColorSphere Toner (~11,000 pages); Hardware and Software Installation Guide; CD-ROM with software drivers and documentation



HP Color LaserJet Enterprise CP4025dn Printer (CC490A)

Printer; power cable; 100-sheet multipurpose tray; 500-sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; HP LaserJet Black Print Cartridge (~8500 pages); HP Color LaserJet Cyan, Yellow, and Magenta Print Cartridges with HP ColorSphere Toner (~11,000 pages); Hardware and Software Installation Guide; CD-ROM with software drivers and documentation; Automatic two-sided printing accessory

Accessories, Supplies and Support

Accessories

CC422A	HP Color LaserJet 500-sheet Paper Feeder and Cabinet
CC425A	HP Color LaserJet 500-sheet Paper Tray
CC497A	HP LaserJet Postcard Media Insert Tray
CE467A	HP 512 MB DDR2 200-pin x32 DIMM
J8019A	HP High-Performance Secure EIO Hard Disk
J7972G	HP 1284B Parallel Card

Supplies

CE260A	HP 647A Black LaserJet Toner Cartridge Average cartridge yields 8500 standard pages. Declared yield value in accordance with ISO/IEC 19798*
CE261A	HP 648A Cyan LaserJet Toner Cartridge Average cartridge yields 11,000 standard pages. Declared yield value in accordance with ISO/IEC 19798*
CE262A	HP 648A Yellow LaserJet Toner Cartridge Average cartridge yields 11,000 standard pages. Declared yield value in accordance with ISO/IEC 19798*
CE263A	HP 648A Magenta LaserJet Toner Cartridge Average cartridge yields 11,000 standard pages. Declared yield value in accordance with ISO/IEC 19798*
CE265A	HP Color LaserJet CE265A Toner Collection Unit (36,000 pages) Toner Collection Unit capacity approximately 36,000 pages (individual experience may vary considerably based on images printed, media used, environmental conditions and other factors).
CE246A	HP Color LaserJet CE246A 110V Fuser Kit (150,000 pages)
CE247A	HP Color LaserJet CE247A 220V Fuser Kit (150,000 pages)
CE249A	HP Color LaserJet CE249A Transfer Kit (150,000 pages)

Media supplies

CHP370	HP Colour Laser Paper 90 g/m ² 500 sht/A4/210 x 297 mm
CG964A	HP Professional Glossy Laser Paper 120 gsm 250 sht/A4/210 x 297 mm
CG966A	HP Professional Glossy Laser Photo Paper 200 gsm 100 sht/A4/210 x 297 mm

Connectivity

J7934G	HP Jetdirect 620n Fast Ethernet Print Server
J7961G	HP Jetdirect 635n IPv6/IPsec Print Server
J8007G	HP Jetdirect 690n IPv6/IPsec 802.11g Wireless Print Server
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server

Service & support

UG825E	HP Care Pack, Next Business Day On-site Hardware Support, 3 years
UG826E	HP Care Pack, Next Business Day On-site Hardware Support, 4 years
UG827E	HP Care Pack, Next Business Day On-site Hardware Support, 5 years
UG829E	HP Care Pack, Same Business Day, 4-Hour, 13x5 On-site, Hardware Support, 3 years
UG832PE	HP Care Pack, Post Warranty Service, Next Business Day On-site, Hardware Support, 1 year
UG833PE	HP Care Pack, Post Warranty Service, Same Business Day 4-Hour, 13x5 On-site, Hardware Support, 1 year
UK659E	HP Care Pack, Next Business Day On-site Hardware Support (3 kits limit), 3 years
UN501E	HP Care Pack, Next Business Day On-site Hardware Support (4 kits limit), 4 years
UN517E	HP Care Pack, Next Business Day On-site Hardware Support (5 kits limit), 5 years
UT807PE	HP Care Pack, Post Warranty Service, Next Business Day On-site Hardware Support, 2 years

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.



Technical specifications

Print technology	Laser		
Print speed	First page out Black: As fast as 9.5 sec (from "ready"), Colour: As fast as 9.5 sec (from "ready") A4 Black: Up to 35 ppm, Colour: Up to 35 ppm Exact speed varies depending on the system configuration, software application, driver and document complexity.		
Processor	800 MHz, Intel® LE80578		
Memory	512 MB, Expandable to 1 GB (1024 MB) through one 200-pin-x32 SODIMM slot, Hard disk capacity: Optional, HP Secure High Performance EIO Hard Disk		
Print resolution	Black: Up to 1200 x 1200 dpi Colour: Up to 1200 x 1200 dpi		
Print quality	HP ImageREt 3600		
Printer languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, direct PDF printing v 1.4		
Typefaces/fonts	93 internal TrueType fonts scalable in HP PCL and HP Postscript level 3 emulation		
Duty cycle (monthly, A4)	Up to 100,000 pages		
Recommended Monthly Page Volume	2000 to 7500		
Print margins	top: 4.3 mm, left: 4.3 mm, right: 4.3 mm, bottom: 4.3 mm		
Media handling	Input	Capacity	Weight
	Tray 1	Sheets, paper (75 g/m ²): 100; labels, transparencies, cardstock (163 g/m ²): 50; cardstock (216 g/m ²): 30; envelopes: 10	60 to 220 g/m ²
	Tray 2	Sheets, paper (75 g/m ²): 500; glossy paper (160 g/m ²): 300; glossy paper (160 g/m ²): 250; glossy (glossy paper) paper (220 g/m ²): 100	60 to 120 g/m ² (plain paper); 105 to 220 g/m ² (glossy paper)
	Duplex printing:	CP4025n: Manual (driver support provided); CP4025dn: Automatic (standard)	60 to 120 g/m ² (plain paper); 105 to 220 g/m ² (glossy paper)
	Output:	Sheets: Up to 500 sheets. Envelopes: Up to 30 envelopes. Transparencies: Up to 100 sheets	
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy, preprinted, prepunched, coloured, rough); colour transparency; labels; letterhead; envelope; opaque film; user-defined		
Interface and connectivity	Hi-Speed USB 2.0 port; RJ-45 port (10/100/1000Base-TX); EIO slot		
Network Capabilities	Via HP Jetdirect 10/100/1000 Base-TX Ethernet embedded print server (standard); IPsec (standard); SNMP3; 802.1x wireless (optional); TCP/IP support (optional)		
Operating systems compatibility	Works with Windows® 7 Home Basic, Home Premium, Professional, Enterprise, Ultimate, x64; Windows Vista®, Premium; Microsoft® Windows® XP Professional, XP Home, Server 2003, Server 2003 (32/64 bit), Server 2008, XP Professional x64 (IPv6 only supported on Microsoft® Windows® 2003, XP Professional and XP Home; IPsec on IPv4 only supported on Microsoft® Windows® 2003, XP Professional and XP Home); Novell® NetWare 5.1 or higher; Mac OS X v10.3 or higher; SAP; Linux (see http://www.hp.com/go/hplip); RED HAT Linux 7.x or higher; SUSE Linux 8.x or higher; HP-UX 10.20, 11.x, 11; Solaris® 2.5 or higher (SPARC® systems only); AIX® 3.2.5 or higher; MPE-iX; Citrix® Presentation Server 4.0 and 4.5, Citrix® XenApp Server 5.0; Microsoft® Windows® 2003 and 2008 Terminal Services Optional: Microsoft® Windows® XP Professional, Server 2003, Server 2008; Windows Vista®; Windows® 7; Mac OS X v10.3, v10.4, v10.5, v10.6; SAP; Linux (see http://www.hp.com/go/hplip); Current HP printer drivers and software can be obtained from the HP Customer Care Web site: http://www.hp.com/go/cljcp4025		
Network operating systems compatibility	Works with Windows® 7 Home Basic, Home Premium, Professional, Enterprise, Ultimate, x64; Windows Vista®, Premium; Microsoft® Windows® XP Professional, XP Home, Server 2003, Server 2003 (32/64 bit), Server 2008, XP Professional x64 (IPv6 only supported on Microsoft® Windows® 2003, XP Professional and XP Home; IPsec on IPv4 only supported on Microsoft® Windows® 2003, XP Professional and XP Home); Novell® NetWare 5.1 or higher; Mac OS X v10.3 or higher; SAP; Linux (see http://www.hp.com/go/hplip); RED HAT Linux 7.x or higher; SUSE Linux 8.x or higher; HP-UX 10.20, 11.x, 11; Solaris® 2.5 or higher (SPARC® systems only); AIX® 3.2.5 or higher; MPE-iX; Citrix® Presentation Server 4.0 and 4.5, Citrix® XenApp Server 5.0; Microsoft® Windows® 2003 and 2008 Terminal Services, optional: Works with Windows® 7 Home Basic, Premium, Professional, Enterprise, Ultimate, x64; Windows Vista®, Premium; Microsoft® Windows® XP Professional, XP Home, Server 2003, (32/64 bit), XP Professional x64; (IPv6 only supported on Microsoft® Windows® 2003, XP Professional and XP Home; IPsec on IPv4 only supported on Microsoft® Windows® 2003, XP Professional and XP Home); Novell® NetWare 5.1 or higher; Mac OS X v10.3 or higher; RED HAT Linux 7.x or higher; SUSE Linux 8.x or higher; HP-UX 10.20, 11.x, 11.i; Solaris® 2.5 or higher (SPARC® systems only); AIX® 3.2.5 or higher; MPE-iX; Citrix® MetaFrame Server; Windows® Terminal Services		
Minimum system requirements	Windows Vista®: Intel® Pentium® II or Celeron® processor, 512 MB RAM, 220 MB available hard disk space, Internet Explorer 7, CD-ROM, USB, Adobe® Acrobat® Reader 5; Microsoft® Windows® XP, Server 2003, Server 2008: Intel® Pentium® II or Celeron® processor, 256 MB RAM, 220 MB hard disk space, Internet Explorer 6, CD-ROM, USB, Adobe® Acrobat® Reader 5; Windows® 7 (32-bit): 1 GHz processor, memory 1 GB RAM, 16 GB available disk space; Windows® 7 (64-bit): 1 GHz processor, memory 2 GB RAM, 20 GB hard disk space, Mac OS X v10.3, v10.4, v10.5, v10.6: PowerPC G3, G4, G5 or Intel® Core processor; 256 MB RAM; 160 MB available hard disk; CD-ROM; USB; OS X v10.6: Intel® Core processor; 10 GB hard disk space; 2 GB RAM		
Software	Print drivers and installation software on CD-ROM; HP PCL 6 discrete driver; Macintosh software drivers and status utilities		
Control panel	5.16 cm LCD 64 x 160 pixels, 4-line colour control panel display; 7 front-panel buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); enhanced help with animated graphics		
Printer management	HP Web Jetadmin; HP Easy Printer Care Software; HP SureSupply		
Upgradability	Printer firmware; software drivers; colour tables		
Power	Requirements: Input voltage 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz). Consumption: 740 watts (active), 72 watts (standby), 19 watts (powersave), 0.3 watts (off); Typical Electricity Consumption (TEC): 6.140 kWh/Week		
Dimensions (w x d x h)	Out of package: 540 x 522 x 420 mm Packaged: 746 x 644 x 549 mm		
Weight	Out of package: 38.5 kg Packaged: 44.0 kg		
Operating environment	Operating temperature: 10 to 30° C. Recommended operating temperature: 15 to 27° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 30 to 70% RH. Storage temperature: 0 to 35° C. Storage humidity: 10 to 90% RH. Noise level per ISO 9296: Sound power: LwAd6.8 B(A), 5.0 B(A) (ready). Sound pressure: LpAm54 dB(A) (operating), 35 dB(A) (idle)		
Acoustics	Acoustic Power Emissions: 6.8 B(A), 5.0 B(A) (ready) Acoustic Pressure Emissions: 54 dB(A)		
Product certifications	Safety certifications: IEC 60950-1 (International); EN 60950-1+A11 (EU); GS license (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943:2001; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries EMC certifications: CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries		
Warranty	One-year, onsite warranty		

<http://www.hp.com/uk>
<http://www.hp.com/go/laserjetfonts>



© Copyright 2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 06/12 4AA0-0840E0E

