
# HP Premium Matte Polypropylene, 2 Pack





## The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



- With Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see globalBMG.com/hp/t/ printpermanence.
- HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See globalbmg.com/hp/ecosolutions for details.
- Greater than 96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method.
- Moderately water resistant with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see globalBMG.com/hp/t/ printpermanence.

## Produce brilliant, high-impact signs and banners

#### Deliver high-quality, durable prints

Handle these sturdy, tear-resistant prints with confidence. Providing the high-quality look and feel of photo material, you get durable performance without trading off brilliant color and edge definition.

#### Produce high-impact, photo-realistic signs

Produce prints with brilliant color, photo-realistic images, and the look of traditional photos—this sturdy film is ideal for a wide range of sign and event displays including photo enlargements and offers over 50 years indoor display permanence.<sup>1</sup>

#### Do more, and print with the environment in mind

Offer a wide range of applications from presentations, banners, and displays to photo enlargements—and help meet the environmental objectives of your company and your clients—with this versatile, recyclable<sup>2</sup> HP printing material.

| Applications   | Benefits   |  |
|--|--|--|
| Trade show and event displays  | Vibrant color, high-impact image quality   |  |
| Posters and presentations Excellent opacity <sup>3</sup> and optical density |  |  |
| POP and retail displays  | Sturdy, tear-resistant prints  |  |
| Photo enlargements   | Moderately water-resistant prints <sup>4</sup>   |  |
| Banners  | Fast dry time  |  |
|  | 50+ years indoor, unlaminated display permanence <sup>1</sup>  |  |
|  | Versatile compatibility with Original HP dye- and pigment-based inks                                 |  |
|  | Recyclable through the HP Large Format Media take-back program²                                      |  |
|  | Trade show and event displays  Posters and presentation  POP and retail displays  Photo enlargements |  |

### **Technical specifications**



#### HP Premium Matte Polypropylene, 2 Pack

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit **globalBMG.com/hp/**.

| Weight  | 140 g/m² per ISO 536 Test Method   |          |                                  |              |                  |  |  |
|---|--|----------|----------------------------------|--------------|------------------|--|--|
| Thickness                                     | 231 microns/9.1 mil per ISO 534 Test Method  |          |                                  |              |                  |  |  |
| Opacity                                       | Greater than 96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method   |          |                                  |              |                  |  |  |
| Brightness                                    | Greater than 99% per TAPPI T-452 Test Method, 105% per ISO 2470 Test Method  |          |                                  |              |                  |  |  |
| Whiteness                                     | 120 per ISO 11476 Test Method, 154 per ISO 11475 Test Method   |          |                                  |              |                  |  |  |
| Finish  | Matte  |          |                                  |              |                  |  |  |
| Operating temperature                         | 15 to 35° C / 59 to 95° F  |          |                                  |              |                  |  |  |
| Operating humidity                            | 20 to 80% RH   |          |                                  |              |                  |  |  |
| Display permanence<br>(Indoor home or office) | 50+ years indoors, unlaminated with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks⁵   |          |                                  |              |                  |  |  |
| Water resistance                              | Moderately water resistant with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks <sup>6</sup>   |          |                                  |              |                  |  |  |
| Dry time                                      | Less than 2 minutes (at 23° C, 50% RH)   |          |                                  |              |                  |  |  |
| Lamination                                    | Yes  |          |                                  |              |                  |  |  |
| Shelf life                                    | 2 years, unopened in original packaging  |          |                                  |              |                  |  |  |
| Storage temperature                           | 15 to 35° C / 59 to 95° F  |          |                                  |              |                  |  |  |
| Storage humidity                              | 15 to 30% RH   |          |                                  |              |                  |  |  |
| Recyclability                                 | Recyclable through the HP Large Format Media take-back program <sup>7</sup>  |          |                                  |              |                  |  |  |
| Country of origin                             | Product of China   |          |                                  |              |                  |  |  |
| Ordering information                          | Product numbers  | Quantity | Roll sizes                       | UPC codes    | Region           |  |  |
|   | C2T53A   | 2 Pack   | 914 mm x 22,9 m (36 in x 75 ft)  | 848412013405 | Americas, Europe |  |  |
|   | C2T54A   | 2 Pack   | 1067 mm x 22,9 m (42 in x 75 ft) | 848412013412 | Americas, Europe |  |  |
| Managet                                       | C5G02A   | 2 Pack   | 1524 mm x 22,9 m (60 in x 75 ft) | 848412013429 | Americas, Europe |  |  |
| Warranty                                      | HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see <b>globalBMG.com/hp/MediaWarranties</b> . |          |                                  |              |                  |  |  |

- <sup>5</sup> Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see **globalBMG.com/hp/t/printpermanence**.
- Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see **globalBMG.** com/hp/t/printpermanence.
- 7 HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See globalbmg.com/hp/ecosolutions for details.
- <sup>8</sup> Not available in Japan.



For detailed information on the HP large format printing materials portfolio and to order, see globalBMG.com/hp

